

SECRET

Approved For Release 2001/09/04 : CIA-RDP86-00244R000100130012-9 Attachment III

STORAGE AREAS*

Total Storage Space by Directorate

1. DCI - 472 sq. ft. Room BD-28 listed as "Secure Area" storage and "Special Equipment" actually is an area consisting of a lounge, separate desk room, and hot plate room along with the entrance to the DCI's elevator.

2. DDI - 24301 sq. ft. including 12 persons assigned. The Signal Center and NPIC are included in these figures.

3. DDP - 5222 sq. ft. (1200 sq. ft. at [REDACTED] including two persons assigned.

4. DDS&T - 1664 sq. ft. with no personnel assigned.

5. DDS - 236100 sq. ft. included are 113 persons assigned.

DDS Storage Space by Office

6. Personnel	5 persons	1911 sq. ft.
Commo	0 "	402 " "
Security	0 "	1413 " "
Med. Serv.	1 "	686 " "
Training	0 "	3616 " "
Log.	106 "	227960 " "

7. Office of Communications (402 sq. ft.) and Medical Service (686 sq. ft.) storage areas are scattered in various Agency buildings.

8. OTR has 3616 sq. ft. in Arlington Towers (1540) sq. ft. and in Glebe Building (2300 sq. ft.). In addition LSD/OL has a storage room (Supply Room) of 112 sq. ft. at Glebe Building. It is reasonable to assume that some space can be "saved" in the Glebe Building.

SECRET



Excluded from automatic
downgrading and
declassification

SECRET


Approved For Release 2001/09/04 : CIA-RDP86-00244R000100130012-9

Agency Storage Areas Under Logistics Control



9. The Office of Logistics has 227,960 sq. ft. of storage space which includes the following:

25X1A	LSD		11911 sq. ft.	25X9
	PSB		3660 " "	
	TSD		13372 " "	
			198267 " "	
			600 " "	
	DCI		150 " "	
			<hr/> 222,552 sq. ft. Total Special Space	

10. LSD - 11911 sq. ft. Of this total, 5,408 sq. ft. are bits and pieces spread out in all Agency Buildings in Supply Rooms. The Headquarters Building main supply area is 1286 sq. ft. However 5,217 sq. ft. is for bulk storage in Headquarters Building and could be moved to another location. The 5217 sq. ft. thus vacated is suitable for office space.

25X1A 11. PSB's 3660 sq. ft. is used for paper stock and chemicals. The PSB is in dire need of more space in order to eliminate "special" deliveries from 

25X1A 12. TSD's 13372 sq. ft. is divided between three buildings and appears to be adequate.

25X1A 13.  198267 sq. ft. includes the main warehouse, Butler Buildings, and isolated buildings for hazardous and flammable material. It is believed that  has no space available for offices, without re-quisioning another Butler Building (8000 sq. ft.) for bulk storage.

Non-Agency Storage Space Considered

14. PBS/GSA - 7632 sq. ft. used as shops (carpenter, paint, electrical, plumbing, etc.) This space would be available for offices if these shops were moved to an outlying building.

15. C&P - 2009 sq. ft. is a telephone frame room. This space should not be considered due to the present installation and anticipated installation of new equipment.

Approved For Release 2001/09/04 : CIA-RDP86-00244R000100130012-9

-2- SECRET

Excluded from automatic
downgrading and
declassification

SECRET

Approved For Release 2001/09/04 : CIA-RDP86-00244R000100130012-9

Vacant Storage Space - Not Usable as Office Space

16. TSD - 435 sq. ft. in the attic of South Building. This is adequate for any TSD future storage requirement.

17. Commo - 336 sq. ft. in Magazine basement and not suitable for office space.

Potentially Retrievable Space

18. OTR - Glebe Building (3616 sq. ft.)

19. LSD - After move of Building Services Branch (BSB) to another location, i.e. Printing Services Building warehouse annex. (6503 sq.ft.)

20. [REDACTED] - Erect another Butler building making office space available in the warehouse. (8000 sq. ft.)

21. If PBS/GSA shops are moved to an outside building. (7632 sq. ft.)

* A study of the CRAMS report dated 5 March 1970, revealed the following storage space used by Directorate.

Approved For Release 2001/09/04 : CIA-RDP86-00244R000100130012-9